


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KROHNE LTD	
MANUFACTURERS ADDRESS: RUTHERFORD DRIVE, PARK FARM IND EST, WELLINGBOROUGH, NN8 6F	
PLANT LOCATIONS: WELLINGBOROUGH, UK - PEABODY, USA - QUISBURG, GERMANY	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>AD-MERK BLATTER 410</p> <p>AD-REGALWERK 2000</p> <p>PEO-97/23/EC</p> <p>DEMONSTRATED</p> <p>SIMILAR TO ASME VIII</p> <p>AND ASME B31-3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>MASS FLOWMETERS MF57000 AND MF57100. FOR OTHER DOCUMENTS SEE INDEX SHEETS IN ATTACHED 2 FILES</p>	

DECLARATION:

I B. SEGLER (see note 3) employed by KROHNE LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV-UK as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: B. SEGLER

Declared before me at WELLINGTON ENGLAND USE THIS SPACE

This 12th day of September AD 2007 OFFICIAL

Commissioner of Oaths or Notary Public: (sign) [Signature]

D. M. ORTON-JONES
NOTARY PUBLIC
NORTHAMPTON

(Affix Official seal to the right)



This space for Regulatory Authority use

ACCEPTED

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F1005.9

FID#: 1818

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCE OF PRINCE EDWARD ISLAND
DEPT. OF PROVINCIAL AFFAIRS
CRN 0F1005.9
DATE: 21st 2007
INSPECTION SERVICES DIVISION
BOILER/PRESSURE VESSEL BRANCH - Fittings Rev. 1 06/2003

FROM ACI CENTRAL

(FRI) FEB 6 2004 13:53/ST.13:39/NO. 6340163356 P 19

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **KROHNE LTD**

MANUFACTURERS ADDRESS: **RUTHERFORD DRIVE, PARK FARM IND EST, WELLINGBOROUGH, NN8 6F**

PLANT LOCATIONS: **WELLINGBOROUGH, UK - PEARBODY, USA - QUILSBURG, GERMANY**

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges; all flanges
 C Valves; all line valves
 D Expansion joints, flexible connections, and hose assemblies; all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
**AD-MERK BLATTER HFC
 AD-REGALWERK 2000
 PED-97/23/EC
 DEMONSTRATED
 SIMILAR TO ASME VIII
 AND ASME B31-3**

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT.

TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
MASS FLOWMETERS MF57000 AND MF57100. FOR OTHER DOCUMENTS SEE INDEX SHEETS IN ATTACHED 2 FILES

DECLARATION:
 I B. SEGLER (see note 3) employed by KROHNE LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV-UK as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: B. SEGLER

Declared before me at WELLINGTON, NEW ZEALAND

This 12th day of September AD 2004

Commissioner of Oaths or Notary Public: (sign) [Signature]

B. M. ORTON-JONES
NOTARY PUBLIC
NORTHAMPTON
ENGLAND

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OF1005.9

FID#: 1818

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Date: 10 FEB. 04

C.R.N. OF1005.98

Dwg. AS PER LIST

Signed [Signature]

SECT 1.0 - Fittings Rev. 1 06/2003

BOILER & PRESSURE VESSEL
NOVA SCOTIA

Part & REGULATIONS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON


PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KROHNE LTD	
MANUFACTURERS ADDRESS: RUTHERFORD DRIVE, PARK FARM IND EST, WELLINGBOROUGH, NN8 6F	
PLANT LOCATIONS: WELLINGBOROUGH, UK - PEABODY, USA - DUISBURG, GERMANY	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION AD-MERK BLATTER HPO AD-REGALWERK 2000 PEO-97/23/EC DEMONSTRATED SIMILAR TO ASME VIII AND ASME B31-3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: MASS FLOWMETERS MF57000 AND MF57100. FOR OTHER DOCUMENTS SEE INDEX SHEETS IN ATTACHED 2 FILES	

DECLARATION:
 I B. SEGLER (see note 3) employed by KROHNE LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV-UK as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: B. SEGLER
 Declared before me at WELLINGBOROUGH ENGLAND
 This 12th day of September AD 2007
 Commissioner of Oaths or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0F1005.9
 FID#: 1818

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**PROVINCE OF NB
DEPT. OF PUBLIC SAFETY
BOILER & PRESSURE VESSEL**

REGISTRATION ONLY
 CRN 0F1005.97
 EXAMINER: Dale E. Ross
 for
 CHIEF BOILER INSPECTOR
 DATE: February 6, 2007

06/2003

BLRs PVs
 FITTINGS COMPONENTS

FROM ACI CENTRAL

(FRI) FEB 6 2004 13:49/ST. 13:38/NO. 6340163355 P 24

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **KROHNE LTD**

MANUFACTURERS ADDRESS: **RUTHERFORD DRIVE, PARK FARM IND EST, WELLINGBOROUGH, NUNB**

PLANT LOCATIONS: **WELLINGBOROUGH, UK - PEABODY, USA - OWISBURG, GERMANY**

- CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all type
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 Class 2 Class 3 . (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

AD- MERK BLATTER HPC
AD- REGALWERK 2000
PEO- 97/23/EC
DEMONSTRATED
SIMILAR TO ASME VIII
AND ASME B31-3

SHOW MANUFACTURERS NAME, TRADEMARK OR LOGO AS IT WILL APPEAR ON THE PRODUCT

[REDACTED]

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

MASS FLOWMETERS MF5T000 AND MF5T100. FOR OTHER DOCUMENTS SEE INDEX SHEETS IN ATTACHED 2 FILES

DECLARATION:
 I **B. SEGLER** (see note 3) employed by **KROHNE LTD** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **TUV-UK** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: **B. SEGLER**
 Declared before me at **WELLINGTON, NEW BRUNSWICK**
 This **12th** day of **September** AD 20**04**
 Commissioner of Oaths or Notary Public: (sign) **[Signature]**
 (Affix Official seal to the right)

USE THIS SPACE FOR OFFICIAL SEAL

B. M. ORTON-JONES
NOTARY PUBLIC
NORTHAMPTON
ENGLAND

This space for Regulatory Agency use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: **0F1005.9**
 FID#: **1818**

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF NEW BRUNSWICK
 Department of Energy and Safety
 Registered: **0F1005.90**
 Date: **02/11/04**
 GOVERNMENT SERVICE CENTRE
 Registered by: **[Signature]**
 UNDER AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER PRESSURE REGULATIONS
 COMPRESSED GAS REGULATIONS

Fittings Rev. 1 05/2003

12

MANUFACTURERS NAME: KROHNE LTD

MANUFACTURERS ADDRESS: RUTHERFORD DRIVE, PARK FARM IND EST, WELLINGBOROUGH, NUNSB

PLANT LOCATIONS: WELLINGBOROUGH, UK - PEABODY, USA - QUILSBURG, GERMANY

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
 AO-MERK BLATTER HPO
 AO-REGALWERK 2000
 PED-97/23/EC
 DEMONSTRATED
 SIMILAR TO ASME VIII
 AND PEME B31-3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT


TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
 MASS FLOWMETERS MF57000 AND MF57100. FOR OTHER DOCUMENTS SEE INDEX SHEETS IN ATTACHED 2 FILES

DECLARATION:
 I B. SEGLER (name title of) employed by KROHNE LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV-UK as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: B. SEGLER
 Declared before me at WELLINGTON NUNSB
 This 12th day of September AD 2007
 Commissioner of Oaths or Notary Public: (sign) D. M. ORTON-JONES
 (Affix Official seal to the right)

USE THIS SPACE FOR OFFICIAL SEAL



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F1005.9
 FID#: 1818

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF YUKON
 BY D. Price
 CRN. 0.F.1005.9Y
 DATE 02/09/07
BOILERS BRANCH

1.0 - Fittings Rev. 1 06/2003

13

NEW BRUNSWICK
MANAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **KROHNE LTD**

MANUFACTURERS ADDRESS: **RUTHERFORD DRIVE, PARK FARM IND EST, WELLINGBOROUGH, NUNB 6F**

PLANT LOCATIONS: **WELLINGBOROUGH, UK - PEABODY USA - DUISBURG, GERMANY**

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE BOARD OF CONSTRUCTION
**AO-MERK BLATTER HPC
 AO-REGALWERK 2000
 PEO-97/23/EC
 DEMONSTRATED
 SIMILAR TO ASME VIII
 AND ASME B31-3**

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

MASS FLOWMETERS MF51000 AND MF51100. FOR OTHER DOCUMENTS SEE INDEX SHEETS IN ATTACHED 2 FILES

DECLARATION:
 I **B. SEGLER** (see note 1) employed by **KROHNE LTD** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **TUV-UK** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: **B. SEGLER**

Declared before me at **WELLINGTON NUNB** on this **12th** day of **September** AD 200**4**

Commissioner of Oaths or Notary Public: (sign) **D. M. ORTON-JONES**
 (Affix Official seal to the right)

RESERVE THIS SPACE FOR OFFICIAL USE

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: **0F1005.9**
 FIDN: **1818**

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories REGISTERED
 UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.
 C.R.N. **0F1005.9T**
 SIGNED: **[Signature]**
 DATE: **FEB 12, 04** Sec 1.0 - Fittings Rev. 1 06/2003

\$150.00



14

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KROHNE LTD	
MANUFACTURERS ADDRESS: RUTHERFORD DRIVE, PARK FARM IND EST WELLSBOROUGH, TN 386	
PLANT LOCATIONS: WELLSBOROUGH, UK - PEABODY, USA - OWLSBURG, GERMANY	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p><input checked="" type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified repair-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>AD-MERK BLATTER HPC</p> <p>AD-REGALWERK 2000</p> <p>PEO-97/23/EC</p> <p>DEMONSTRATED</p> <p>SIMILAR TO NCMG VII</p> <p>AND ASME B31-3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>[Redacted]</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WINDUGHT <input checked="" type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>DOCUMENTS SEE INDEX SHEET FOR INFORMATION FOR OTHER</p>	

DECLARATION: B. SEGLER (see note 3) employed by KROHNE LTD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV-UK as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: B. SEGLER

Declared before me at WELLSBOROUGH, ENGLAND THIS SPACE

This 12th day of September AD 2004 OFFICIAL

Commissioner of Oaths or Notary Public: (sign) [Signature]


B. M. ORTON-JONES
NOTARY PUBLIC
NORTHAMPTON
ENGLAND

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F1005.9

FIDM: 1R18

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



NUNAVUT

Boilers and Pressure Vessels Act

REGISTERED

CRN 0F1005.91N

Date 6 Feb 2004 Sec 1.0 - Form Rev. 1.06/2003

Signed [Signature]

Chief Inspector

