

[1] **EC-TYPE EXAMINATION CERTIFICATE**

[2] **Equipment or Protective System intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC**



[3] EC-Type Examination Certificate Number: DEMKO 06 ATEX 141333X

[4] Equipment: **Intelligent Temperature Transmitter, TT 30 R**

[5] Manufacturer: **KROHNE MESSTECHNIK GMBH & CO KG**

[6] Address: **Ludwig-Krohne-Strasse 5, Duisburg, D-47508, Germany**

[7] This equipment or protective system and any acceptable variation there to is specified in the schedule to this certificate and the documents therein referred to.

[8] UL International Demko A/S, notified body number 0539 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential report no. 141333

[9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014: 1997 E incl. A1+A2 EN 50020: 2002 E

[10] If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

[11] This EC-Type examination certificate relates only to the design, examination and tests of the specified equipment or protective system in accordance to the Directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by the certificate.

[12] The marking of the equipment or protective system shall include the following:

II (1)G [EEx ia] IIC

On behalf of UL International Demko A/S

Herlev, 2006-12-19

Karina Christiansen
Certification Manager

UL International Demko A/S

Lyskaer 8, P.O. Box 514
DK-2730 Herlev, Denmark
Telephone: +45 44856565
Fax: +45 44856500

Certificate: 06 ATEX 141333X

This certificate may only be reproduced in its entirety and without any change, schedule included



An Affiliate of
**Underwriters
Laboratories Inc.®**

Schedule

[13]

[14]

EC-TYPE EXAMINATION CERTIFICATE No. DEMKO 06 ATEX 141333X

[15] Description of Equipment or protective system

TT 30 R $\text{\textcircled{E}}$ is an isolated 2-wire transmitter intended for temperature measurement in process industry. The input signal is either of resistance, mA or voltage type. The output signal is standard 4-20 mA. Power to the transmitter is the same as the output. The transmitter is made for mounting on a standard DIN rail. The transmitter is calibrated and configured with a PC, which can be connected to the transmitter via a separate connector. When calibrate/ configure 'online' with the input connected to hazardous area the ATEX certified version of PC cable must be used. The transmitter is intended to be mounted outside hazardous area and powered with an intrinsic safe power supply unit. The input of the transmitter can be connected to a temperature sensor located in hazardous area.

Temperature range

Ambient temperature range

-20 °C to +70 °C

Temperature class

The transmitter is to be placed outside hazardous area.

Electrical data

Intrinsically safe specifications:

The equipment must be electrically connected (terminal 5 and 6) via a certified isolating interface/ zener barrier -and shall be placed outside the hazardous area.

U_i : 30 V

I_i : 100 mA

P_i : 0,9 W

L_i : 0 mH

C_i : 1 nF

Terminal 1-2-3-4 (Intrinsically safe sensor terminals)

U_o : 30 V

I_o : 27 mA

L_o : 50 mH

C_o : 52 nF

[16] Report No.

Project Report No.: 141333-01

The scheduled drawings are listed in the document S-9636-A, dated 2006-12-11, Rev A, entitled "List of scheduled and related drawings"

UL International Demko A/S

Lyskaer 8, P.O. Box 514
DK-2730 Herlev, Denmark
Telephone: +45 44856565
Fax: +45 44856500

Certificate: 06 ATEX 141333X
Report: 141333-01

This certificate may only be reproduced in its entirety and without any change, schedule included




An Affiliate of
**Underwriters
Laboratories Inc.**

P2/3

Schedule

EC-TYPE EXAMINATION CERTIFICATE No. DEMKO 06 ATEX 141333X

[17] Special conditions for safe use:

- The equipment must be electrically connected via an certified isolating interface/ zener barrier and shall placed outside the hazardous area.
- The transmitter is calibrated and configured with a PC. A special jack is used for connecting the PC to the transmitter. When calibrate/ configure 'online' with the input connected to hazardous area the ATEX certified version of PC Cable, certificate 06 ATEX 141337X, must be used.
- "Isolation input/output/PC" of the Type TT 30 R  mentioned in the data sheet, indicates signal isolation only. It shall not be interpreted as an IS galvanic isolation like an isolating barrier. Therefore ordinary care in selecting barrier and grounding should be considered.

[18] Essential Health and Safety Requirements

Concerning ESR this Schedule verifies compliance with the Ex standards only. The manufacturer's Declaration of Conformity declares compliance with other relevant Directives.

The manufacturer shall inform the notified body concerning all modifications to the technical documentation as described in ANNEX III to Directive 94/9/EC of the European Parliament and the Council of 23 March 1994.

On behalf of UL International Demko A/S

Herlev, 2006-12-19



Karina Christiansen
Certification Manager

UL International Demko A/S

Lyskaer 8, P.O. Box 514
DK-2730 Herlev, Denmark
Telephone: +45 44856565
Fax: +45 44856500

Certificate: 06 ATEX 141333X
Report: 141333-01

This certificate may only be reproduced in its
entirety and without any change, schedule included



An Affiliate of
**Underwriters
Laboratories Inc.®**

P3/3